VANTECH HD-TVI CAMERA

High Definition Transport Video Interface

HD-TVI New Technology for **Analog HD Solution**

1.0 Megapixel HD-TVI IR DOME CAMERA

VP-111TVI

1.600.000

- **1.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **3 pcs ARRAY LED**. IR distances up to 20-30m

1.0 Megapixel HD-TVI IR DOME CAMERA

VP-281TVI

1.200.000

- **1.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **2 pcs ARRAY LED**. IR distances up to 30-40m

1.0 Megapixel HD-TVI IR BULLET CAMERA

VP-121TVI

1.980.000

- **1.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **3 pcs ARRAY LED**. IR distances up to 20-30m
- IP66 / Bracket included

2.0 Megapixel HD-TVI IR DOME CAMERA

VP-113TVI

2.200.000

- **2.0 Megapixe**l Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, HSBLC, Motion Detect, Privacy Masking, 2D&3D-DNR
- D-WDR, Smart D-Zoom, Defog.
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **3 pcs ARRAY LED**. IR distances up to 20-30m
- OSD

2.0 Megapixel HD-TVI IR DOME CAMERA

VP-282TVI

1.700.000

- **2.0 Megapixe**l Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, HSBLC, Motion Detect, Privacy Masking, 2D&3D-DNR
- D-WDR, Smart D-Zoom, Defog.
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **2 pcs ARRAY LED**. IR distances up to 30-40m
- OSD

2.0 Megapixel HD-TVI IR BULLET CAMERA

VP-123TVI

2.600.000

- **2.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, HSBLC, Motion Detect, Privacy Masking, 2D&3D-DNR
- D-WDR, Smart D-Zoom, Defog.
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **3 pcs ARRAY LED**. IR distances up to 20-30m
- OSD / IP66 / Bracket included

VANTECH HD-TVI CAMERA

High Definition Transport Video Interface



HD-TVI New Technology for **Analog HD Solution**

1.0 Megapixel HD-TVI IR BULLET CAMERA

VP-131TVI

2.200.000

- **1.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distances up to 30-40m
- IP66 / Bracket included

1.0 Megapixel HD-TVI IR BULLET CAMERA

VP-141TVI

2.500.000

- **1.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **6 pcs ARRAY LED**. IR distances up to 50-60m
- IP66 / Bracket included

1.0 Megapixel HD-TVI IR BULLET CAMERA

VP-151TVI

1.900.000

- **1.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **36 pcs LED Ø5**. IR distances up to 15-20m
- IP66 / Bracket included

2.0 Megapixel HD-TVI IR BULLET CAMERA

VP-133TVI

2.800.000

- **2.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, HSBLC, Motion Detect, Privacy Masking, 2D&3D-DNR
- D-WDR, Smart D-Zoom, Defog.
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distances up to 30-40m
- OSD / IP66 / Bracket included

2.0 Megapixel HD-TVI IR BULLET CAMERA

VP-143TVI

3.100.000

- **2.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, HSBLC, Motion Detect, Privacy Masking, 2D&3D-DNR
- D-WDR, Smart D-Zoom, Defog.
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **6 pcs ARRAY LED**. IR distances up to 50-60m
- OSD / IP66 / Bracket included

2.0 Megapixel HD-TVI IR BULLET CAMERA

VP-153TVI

2.500.000

- **2.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, HSBLC, Motion Detect, Privacy Masking, 2D&3D-DNR
- D-WDR, Smart D-Zoom, Defog.
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **36 pcs LED Ø5**. IR distances up to 15-20m
- OSD / IP66 / Bracket included

VANTECH HD-TVI CAMERA

High Definition Transport Video Interface

HD-TVI New Technology for **Analog HD Solution**

1.0 Megapixel HD-TVI IR BULLET CAMERA

VP-161TVI

2.300.000

- **1.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **2 pcs ARRAY LED**. IR distances up to 30-40m
- IP66 / Bracket included

1.0 Megapixel HD-TVI IR BULLET CAMERA

VP-171TVI

2.700.000

- **1.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distances up to 50-60m
- IP66 / Bracket included

1.0 Megapixel HD-TVI IR BULLET CAMERA

VP-271TVI

3.600.000

- **1.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Vari focal lens 2.8 ~12mm
- IR **12 pcs LASER LED**. IR distance up to 40-50m
- IP66 / Bracket included

2.0 Megapixel HD-TVI IR BULLET CAMERA

VP-163TVI

2.900.000

- **2.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, HSBLC, Motion Detect, Privacy Masking, 2D&3D-DNR
- D-WDR, Smart D-Zoom, Defog.
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **2 pcs ARRAY LED**. IR distances up to 30-40m
- OSD / IP66 / Bracket included

2.0 Megapixel HD-TVI IR BULLET CAMERA

VP-173TVI

3.400.000

- **2.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, HSBLC, Motion Detect, Privacy Masking, 2D&3D-DNR
- D-WDR, Smart D-Zoom, Defog.
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distances up to 50-60m
- OSD / IP66 / Bracket included

2.0 Megapixel HD-TVI IR BULLET CAMERA

VP-273TVI

4.400.000

- **2.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, HSBLC, Motion Detect, Privacy Masking, 2D&3D-DNR
- D-WDR, Smart D-Zoom, Defog.
- Varifocal lens 2.8 ~12mm
- IR **12 pcs LASER LED**. IR distance up to 40-50m
- OSD / IP66 / Bracket included

VANTECH HD-TVI CAMERA

High Definition Transport Video Interface



HD-TVI New Technology for **Analog HD Solution**

1.0 Megapixel HD-TVI IR BULLET CAMERA

VP-261TVI

3.200.000

1.0M | Laser LED

- **1.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Vari focal lens 2.8 ~12mm
- IR **9 pcs LASER LED**. IR distance up to 30-40m
- IP66 / Bracket included

1.0 Megapixel HD-TVI IR BULLET CAMERA

VP-262TVI

2.200.000

1.0M | LEDs Array

- **1.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 4mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distances up to 30-40m
- IP66 / Bracket included

2.0 Megapixel HD-TVI IR BULLET CAMERA

VP-263TVI

3.900.000

2.0M | Laser LED

- **2.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, HSBLC, Motion Detect, Privacy Masking, 2D&3D-DNR
- D-WDR, Smart D-Zoom, Defog.
- Varifocal Lens 2.8~12mm
- IR **9 pcs LASER LED**. IR distance up to 30-40m
- OSD / IP66 / Bracket included

1.0 Megapixel HD-TVI IR BULLET CAMERA

VP-291TVI

1.600.000

1.0M | LEDs Array

- **1.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **3 pcs ARRAY LED**. IR distances up to 20-30m

2.0 Megapixel HD-TVI IR BULLET CAMERA

VP-292TVI

2.000.000

2.0M | LEDs Array

- **2.0 Megapixe**l Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, HSBLC, Motion Detect, Privacy Masking, 2D&3D-DNR
- D-WDR, Smart D-Zoom, Defog.
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **3 pcs ARRAY LED**. IR distances up to 20-30m
- OSD

HD-TVI ANALOG HD Solution

Coming Soon

VANTECH HD-TVI CAMERA & DVR

High Definition Transport Video Interface



HD-TVI New Technology for Analog HD Solution

1.0 Megapixel HD-TVI IR BULLET CAMERA

VP-311TVI

1.800.000

- **1.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distances up to 30-40m

2.0 Megapixel HD-TVI IR BULLET CAMERA

VP-312TVI

2.200.000

- **2.0 Megapixel** Image Sensor
- Adopt **HD TVI** Technology
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, HSBLC, Motion Detect, Privacy Masking, 2D&3D-DNR
- D-WDR, Smart D-Zoom, Defog.
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distances up to 30-40m
- OSD

4 CHANNEL 1080P ALL IN ONE DIGIRAL RECORDER

VPS-463TVI

4.500.000

- All in One Digital Recorder: ANALOG (960H) + HDSDI(1080P) + AHD(1080P) + HDTVI(1080P) + IP(1080P)
- Up to 4 cameras with 1080P real-time preview
- Connect with Analog, SDI, TVI, AHD, IP camera.
- H.264 dual-stream video compression
- VGA/ HDMI/ BNC video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support Push Video
- Support 1 SATA HDD, up to 2TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

iWatch
iWatch
iWatch

4 CHANNEL 1080P ALL IN ONE DIGIRAL RECORDER

VP-463TVI

5.200.000

- All in One Digital Recorder: ANALOG (960H) + HDSDI(1080P) + AHD(1080P) + HDTVI(1080P) + IP(1080P)
- Up to 4 cameras with 1080P real-time preview
- Connect with Analog, SDI, TVI, AHD, IP camera.
- H.264 dual-stream video compression
- VGA/ HDMI/ BNC video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support Push Video
- Support 1 SATA HDD, up to 2TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

iWatch
iWatch
iWatch

VANTECH HD-TVI DVR

High Definition Transport Video Interface

HD-TVI New Technology for Analog HD Solution

8 CHANNEL 1080P
ALL IN ONE DIGIRAL RECORDER

VPH-863TVI

9.900.000

1080p 1920 x 1080 | 720p 1280 x 720 | Full 960H 960 x 576 | P2P Peer-to-Peer | Max.3 HDD

- All in One Digital Recorder:
  ANALOG (960H) + HDSDI(1080P) + AHD(1080P) + HDTVI(1080P) + IP(1080P)
- Up to 8 cameras with 1080P real-time preview
- Connect with Analog, SDI, TVI, AHD, IP camera.
- H.264 dual-stream video compression
- VGA/ HDMI/ BNC video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support Push Video
- Support 3 SATA HDDs, up to 6TB; 1 eSATA, up to 16TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:
iWatch
iWatch
iWatch

8 CHANNEL 1080P
ALL IN ONE DIGIRAL RECORDER

VP-863TVI

8.900.000

- All in One Digital Recorder:
  ANALOG (960H) + HDSDI(1080P) + AHD(1080P) + HDTVI(1080P) + IP(1080P)
- Up to 8 cameras with 1080P real-time preview
- Connect with Analog, SDI, TVI, AHD, IP camera.
- H.264 dual-stream video compression
- VGA/ HDMI/ BNC video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support Push Video
- Support 1 SATA HDD, up to 2TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:
iWatch
iWatch
iWatch

16 CHANNEL 1080P
ALL IN ONE DIGIRAL RECORDER

VPH-1663TVI

17.500.000

- All in One Digital Recorder:
  ANALOG (960H) + HDSDI(1080P) + AHD(1080P) + HDTVI(1080P) + IP(1080P)
- Up to 16 cameras with 1080P real-time preview
- Connect with Analog, SDI, TVI, AHD, IP camera.
- H.264 dual-stream video compression
- VGA/ HDMI/ BNC video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support Push Video
- Support 3 SATA HDDs, up to 6TB; 1 eSATA, up to 16TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:
iWatch
iWatch
iWatch

VANTECH **AHD** CAMERA

Analog High Definition



UNIQUE ALTERNATIVE

Transmit solution

NEW VIDEO FORMAT **AHD**

AHD-M

IR MINI SPEED DOME CAMERA

VP-301AHDM

10.800.000

Rated at **IP66**, also with a high degree of resistance to dust and water

ip66 waterproof | 1.3M | PTZ | 10X Zoom Lens

- **1.3 Megapixel**
- Resolution max 25/30fps@720P(1280x720)
- Powerful optical zoom 10X
- High speed, long distance real-time transmission
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- Up to 80 presets, auto scan, 5 tours
- 2 pcs High Power LED (near) + 4 pcs High Power LED (far). Max IR distance: 60m
- OSD / IP66 / Bracket included

AHD-H

IR MINI SPEED DOME CAMERA

VP-311AHDH

14.000.000

Rated at **IP66**, also with a high degree of resistance to dust and water

ip66 waterproof | 2.0M | PTZ | 10X Zoom Lens

- **2.0 Megapixel**
- Resolution max 25/30fps@720P(1280x720)
- Powerful optical zoom 10X
- High speed, long distance real-time transmission
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- Up to 80 presets, auto scan, 5 tours
- 2 pcs High Power LED (near) + 4 pcs High Power LED (far). Max IR distance: 60m
- OSD / IP66 / Bracket included

AHD-M

HIGH SPEED DOME CAMERA

VP-302AHDM

14.000.000

Rated at **IP66**, also with a high degree of resistance to dust and water

ip66 waterproof | 1.3M | PTZ | 36X Zoom Lens

- **1.3 Megapixel**
- Resolution max 25/30fps@720P(1280x720)
- Powerful optical zoom 36X
- High speed, long distance real-time transmission
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- Up to 256 presets, 5 auto scans, 8 tours, 5 patterns
- 8 pcs High Power LED Ø20. Max IR distance: 80m
- OSD / IP66 / Bracket included

VANTECH **AHD** CAMERA

Analog High Definition



UNIQUE ALTERNATIVE

Transmit solution

NEW VIDEO FORMAT **AHD**

AHD-H

HIGH SPEED DOME CAMERA

VP-312AHDH

18.000.000

Rated at **IP66**, also with a high degree of resistance to dust and water

ip66 waterproof

2.0M | PTZ | 36X Zoom Lens

- **2.0 Megapixel**
- Resolution max 25/30fps@720P(1280x720)
- Powerful optical zoom 36X
- High speed, long distance real-time transmission
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- Up to 256 presets, 5 auto scans, 8 tours, 5 patterns
- 8 pcs High Power LED Ø20. Max IR distance: 80m
- OSD / IP66 / Bracket included

AHD-L

IR DOME CAMERA

VP-111AHDL

990.000

1.0M | High Power LEDs

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **12 pcs HPL**. IR distance up to 30m

AHD-M

IR DOME CAMERA

VP-111AHDM

990.000

1.0M | High Power LEDs

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **12 pcs HPL**. IR distance up to 30m

AHD-L

IR BULLET CAMERA

VP-121AHDL

1.200.000

1.0M | LEDs Array

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **3 pcs ARRAY LED**. IR distance up to 20-30m
- IP66 / Bracket included

AHD-M

IR BULLET CAMERA

VP-121AHDM

1.200.000

1.0M | LEDs Array

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **3 pcs ARRAY LED**. IR distance up to 20-30m
- IP66 / Bracket included

VANTECH **AHD** CAMERA

Analog High Definition

UNIQUE ALTERNATIVE

Transmit solution

NEW VIDEO FORMAT **AHD**

AHD-M
IR DOME CAMERA

VP-112AHDM

1.100.000

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **3 pcs ARRAY LED**. IR distance up to 20-30m
- OSD

AHD-M
IR DOME CAMERA

VP-113AHDM

1.500.000

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **3 pcs ARRAY LED**. IR distance up to 20-30m
- OSD

AHD-H
IR DOME CAMERA

VP-114AHDH

1.750.000

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **3 pcs ARRAY LED**. IR distance up to 20-30m
- OSD

AHD-M
IR BULLET CAMERA

VP-122AHDM

1.300.000

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **3 pcs ARRAY LED**. IR distance up to 20-30m
- OSD / IP66 / Bracket included

AHD-M
IR BULLET CAMERA

VP-123AHDM

1.700.000

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **3 pcs ARRAY LED**. IR distance up to 20-30m
- OSD / IP66 / Bracket included

AHD-H
IR BULLET CAMERA

VP-124AHDH

1.980.000

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **3 pcs ARRAY LED**. IR distance up to 20-30m
- OSD / IP66 / Bracket included

VANTECH **AHD** CAMERA

Analog High Definition

UNIQUE ALTERNATIVE

Transmit solution

NEW VIDEO FORMAT **AHD**

AHD-L
IR BULLET CAMERA

VP-131AHDL

1.300.000

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distance up to 30-40m
- IP66 / Bracket included

AHD-M
IR BULLET CAMERA

VP-131AHDM

1.300.000

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distance up to 30-40m
- IP66 / Bracket included

AHD-M
IR BULLET CAMERA

VP-132AHDM

1.400.000

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distance up to 30-40m
- OSD / IP66 / Bracket included

AHD-L
IR BULLET CAMERA

VP-141AHDL

1.700.000

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **6 pcs ARRAY LED**. IR distance up to 50-60m
- IP66 / Bracket included

AHD-M
IR BULLET CAMERA

VP-141AHDM

1.700.000

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **6 pcs ARRAY LED**. IR distance up to 50-60m
- IP66 / Bracket included

AHD-M
IR BULLET CAMERA

VP-142AHDM

1.800.000

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **6 pcs ARRAY LED**. IR distance up to 50-60m
- OSD / IP66 / Bracket included

VANTECH **AHD** CAMERA

Analog High Definition



UNIQUE ALTERNATIVE

Transmit solution

NEW VIDEO FORMAT **AHD**

AHD-M

IR BULLET CAMERA

VP-133AHDM

1.800.000

1.3M | LEDs Array

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distance up to 30-40m
- IP66 / Bracket included
- OSD

AHD-H

IR BULLET CAMERA

VP-134AHDH

2.200.000

2.0M | LEDs Array

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distance up to 30-40m
- IP66 / Bracket included
- OSD

AHD-L

IR BULLET CAMERA

VP-151AHDL

1.100.000

1.0M | IR LEDs Ø5

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **36 pcs LED Ø5**. IR distance up to 15-20m
- IP66 / Bracket included

AHD-M

IR BULLET CAMERA

VP-143AHDM

2.200.000

1.3M | LEDs Array

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **6 pcs ARRAY LED**. IR distance up to 50-60m
- IP66 / Bracket included
- OSD

AHD-H

IR BULLET CAMERA

VP-144AHDH

2.600.000

2.0M | LEDs Array

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **6 pcs ARRAY LED**. IR distance up to 50-60m
- IP66 / Bracket included
- OSD

AHD-M

IR BULLET CAMERA

VP-151AHDM

1.100.000

1.0M | IR LEDs Ø5

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **36 pcs LED Ø5**. IR distance up to 15-20m
- IP66 / Bracket included

VANTECH **AHD** CAMERA

Analog High Definition



UNIQUE ALTERNATIVE

Transmit solution

NEW VIDEO FORMAT **AHD**

AHD-M
IR BULLET CAMERA

VP-152AHDM

1.200.000

1.0M | IR LEDs Ø5

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **36 pcs LED Ø5**. IR distance up to 15-20m
- OSD / IP66 / Bracket included

AHD-M
IR BULLET CAMERA

VP-153AHDM

1.650.000

1.3M | IR LEDs Ø5

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **36 pcs LED Ø5**. IR distance up to 15-20m
- OSD / IP66 / Bracket included

AHD-H
IR BULLET CAMERA

VP-154AHDH

1.880.000

2.0M | IR LEDs Ø5

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **36 pcs LED Ø5**. IR distance up to 15-20m
- OSD / IP66 / Bracket included

AHD-M
IR BOX CAMERA

VP-162AHDM

1.400.000

1.0M | LEDs Array

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **2 pcs ARRAY LED**. IR distance up to 30-40m
- OSD / IP66 / Bracket included

AHD-M
IR BOX CAMERA

VP-163AHDM

1.800.000

1.3M | LEDs Array

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **2 pcs ARRAY LED**. IR distance up to 30-40m
- OSD / IP66 / Bracket included

AHD-H
IR BOX CAMERA

VP-164AHDH

2.200.000

2.0M | LEDs Array

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **2 pcs ARRAY LED**. IR distance up to 30-40m
- OSD / IP66 / Bracket included

VANTECH **AHD** CAMERA

Analog High Definition

UNIQUE ALTERNATIVE

Transmit solution

NEW VIDEO FORMAT **AHD**

AHD-M
IR BOX CAMERA

VP-172AHDM

1.700.000

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 4mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distance up to 40-60m
- OSD / IP66 / Bracket included

AHD-M
IR BOX CAMERA

VP-173AHDM

2.200.000

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 4mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distance up to 40-60m
- OSD / IP66 / Bracket included

AHD-H
IR BOX CAMERA

VP-174AHDH

2.500.000

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 4mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distance up to 40-60m
- OSD / IP66 / Bracket included

AHD-M
IR BOX CAMERA

VP-201AHDM

3.500.000

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Vari focal lens 2.8 ~ 12mm
- IR **9 pcs LASER LED**. IR distance up to 30-40m
- OSD / IP66 / Bracket included

AHD-H
IR BOX CAMERA

VP-202AHDH

3.850.000

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Vari focal lens 2.8 ~ 12mm
- IR **9 pcs LASER LED**. IR distance up to 30-40m
- OSD / IP66 / Bracket included

AHD-M
IR BULLET CAMERA

VP-266AHDM

1.600.000

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 4mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distances up to 30-40m
- OSD / IP66 / Bracket included

VANTECH **AHD** CAMERA

Analog High Definition

UNIQUE ALTERNATIVE

Transmit solution

NEW VIDEO FORMAT **AHD**

AHD-M
IR BULLET CAMERA

VP-262AHDM
2.500.000

1.0M | Laser LED

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Vari focal lens 2.8 ~ 12mm
- IR **9 pcs LASER LED**. IR distance up to 30-40m
- OSD / IP66 / Bracket included

AHD-M
IR BULLET CAMERA

VP-263AHDM
2.950.000

1.3M | Laser LED

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Vari focal lens 2.8 ~ 12mm
- IR **9 pcs LASER LED**. IR distance up to 30-40m
- OSD / IP66 / Bracket included

AHD-H
IR BULLET CAMERA

VP-264AHDH
3.300.000

2.0M | Laser LED

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Vari focal lens 2.8 ~ 12mm
- IR **9 pcs LASER LED**. IR distance up to 30-40m
- OSD / IP66 / Bracket included

AHD-M
IR BULLET CAMERA

VP-272AHDM
2.800.000

1.0M | Laser LED

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Vari focal lens 2.8 ~ 12mm
- IR **12 pcs LASER LED**. IR distance up to 40-50m
- IP66 / Bracket included
- OSD

AHD-M
IR BULLET CAMERA

VP-273AHDM
3.200.000

1.3M | Laser LED

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Vari focal lens 2.8 ~ 12mm
- IR **12 pcs LASER LED**. IR distance up to 40-50m
- IP66 / Bracket included
- OSD

AHD-H
IR BULLET CAMERA

VP-274AHDH
3.500.000

2.0M | Laser LED

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Vari focal lens 2.8 ~ 12mm
- IR **12 pcs LASER LED**. IR distance up to 40-50m
- IP66 / Bracket included
- OSD

VANTECH **AHD** CAMERA

Analog High Definition



UNIQUE ALTERNATIVE

Transmit solution

NEW VIDEO FORMAT **AHD**

AHD-M
IR DOME CAMERA

VP-222AHDM

1.400.000

1.0M | High Power LEDs

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distance up to 30-40m
- OSD / IP66 / Bracket included

AHD-M
IR DOME CAMERA

VP-223AHDM

1.900.000

1.3M | High Power LEDs

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distance up to 30-40m
- OSD / IP66 / Bracket included

AHD-H
IR DOME CAMERA

VP-224AHDH

2.200.000

2.0M | High Power LEDs

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distance up to 30-40m
- OSD / IP66 / Bracket included

AHD-M
IR DOME CAMERA

VP-116AHDM

1.100.000

1.0M | LEDs Array

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **2 pcs ARRAY LED**. IR distances up to 30-40m
- OSD / IP66 / Bracket included

AHD-M
IR DOME CAMERA

VP-117AHDM

1.500.000

1.3M | LEDs Array

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **2 pcs ARRAY LED**. IR distances up to 30-40m
- OSD / IP66 / Bracket included

AHD-H
IR DOME CAMERA

VP-118AHDH

1.750.000

2.0M | LEDs Array

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **2 pcs ARRAY LED**. IR distances up to 30-40m
- OSD / IP66 / Bracket included

VANTECH **AHD** CAMERA

Analog High Definition



UNIQUE ALTERNATIVE

Transmit solution

NEW VIDEO FORMAT **AHD**

AHD-M
IR BOX CAMERA

VP-232AHDM
3.800.000

1.0M | LEDs Array

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distance up to 60-80m
- Operating temperature: -10℃ ~ 50℃
- Surge Protection
- OSD / IP66 / Bracket included

AHD-M
IR BOX CAMERA

VP-233AHDM
4.500.000

1.3M | LEDs Array

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distance up to 60-80m
- Operating temperature: -10℃ ~ 50℃
- Surge Protection
- OSD / IP66 / Bracket included

AHD-H
IR BOX CAMERA

VP-234AHDH
4.900.000

2.0M | LEDs Array

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **4 pcs ARRAY LED**. IR distance up to 60-80m
- Operating temperature: -10℃ ~ 50℃
- Surge Protection
- OSD / IP66 / Bracket included

AHD-M
IR BULLET CAMERA

VP-242AHDM
3.300.000

1.0M | LEDs Array

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **8 pcs ARRAY LED**. IR distance up to 60-80m
- OSD / IP66 / Bracket included

AHD-M
IR BULLET CAMERA

VP-243AHDM
4.500.000

1.3M | LEDs Array

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **8 pcs ARRAY LED**. IR distance up to 60-80m
- OSD / IP66 / Bracket included

AHD-H
IR BULLET CAMERA

VP-244AHDH
4.850.000

2.0M | LEDs Array

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **8 pcs ARRAY LED**. IR distance up to 60-80m
- OSD / IP66 / Bracket included

VANTECH **AHD** CAMERA

Analog High Definition



UNIQUE ALTERNATIVE

Transmit solution

NEW VIDEO FORMAT **AHD**

AHD-M
IR BULLET CAMERA

VP-252AHDM
1.900.000

1.0M | High Power LEDs

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **36 pcs HPL**. IR distance up to 40-60m
- OSD / IP66 / Bracket included

AHD-M
IR BULLET CAMERA

VP-253AHDM
2.500.000

1.3M | High Power LEDs

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **36 pcs HPL**. IR distance up to 40-60m
- OSD / IP66 / Bracket included

AHD-H
IR BULLET CAMERA

VP-254AHDH
2.800.000

2.0M | High Power LEDs

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **36 pcs HPL**. IR distance up to 40-60m
- OSD / IP66 / Bracket included

AHD-M
IR BULLET CAMERA

VP-182AHDM
1.900.000

1.0M | LEDs Array

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **6 pcs ARRAY LED**. IR distance up to 50-60m
- IP66 / Bracket included
- OSD

AHD-M
IR BULLET CAMERA

VP-183AHDM
2.500.000

1.3M | LEDs Array

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **6 pcs ARRAY LED**. IR distance up to 50-60m
- IP66 / Bracket included
- OSD

AHD-H
IR BULLET CAMERA

VP-184AHDH
2.800.000

2.0M | LEDs Array

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- Optional board lens 3.6mm (6mm, 8mm, 12mm)
- IR **6 pcs ARRAY LED**. IR distance up to 50-60m
- IP66 / Bracket included
- OSD

VANTECH **AHD** CAMERA

Analog High Definition

UNIQUE ALTERNATIVE

Transmit solution

NEW VIDEO FORMAT **AHD**

AHD-M
IR BULLET CAMERA

VP-281AHDM

1.300.000

1.0M | LEDs Array

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Vari focal lens 2.8 ~ 12mm
- IR **3 pcs ARRAY LED**. IR distance up to 20-30m
- OSD / IP66 / Bracket included

AHD-M
IR BULLET CAMERA

VP-282AHDM

1.700.000

1.3M | LEDs Array

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Vari focal lens 2.8 ~ 12mm
- IR **3 pcs ARRAY LED**. IR distance up to 20-30m
- OSD / IP66 / Bracket included

AHD-H
IR BULLET CAMERA

VP-283AHDH

2.000.000

2.0M | LEDs Array

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Vari focal lens 2.8 ~ 12mm
- IR **3 pcs ARRAY LED**. IR distance up to 20-30m
- OSD / IP66 / Bracket included

AHD-M
IR BULLET CAMERA

VP-291AHDM

1.400.000

1.0M | LEDs Array

- **1.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Vari focal lens 2.8 ~ 12mm
- IR **4 pcs ARRAY LED**. IR distance up to 30-40m
- OSD / IP66 / Bracket included

AHD-M
IR BULLET CAMERA

VP-292AHDM

1.800.000

1.3M | LEDs Array

- **1.3 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Vari focal lens 2.8 ~ 12mm
- IR **4 pcs ARRAY LED**. IR distance up to 30-40m
- OSD / IP66 / Bracket included

AHD-H
IR BULLET CAMERA

VP-293AHDH

2.200.000

2.0M | LEDs Array

- **2.0 Megapixel**
- High speed transmission with distances up to 300-500m
- HD resolution with ultra sharp image
- Day/Night (ICR), AWB, BLC, 3D-DNR, MD, Privacy Masking, D-WDR, Defog
- Vari focal lens 2.8 ~ 12mm
- IR **4 pcs ARRAY LED**. IR distance up to 30-40m
- OSD / IP66 / Bracket included

VANTECH **AHD** DVR
Analog High Definition

UNIQUE ALTERNATIVE
Transmit solution
NEW VIDEO FORMAT **AHD**

16 CHANNEL 960H (960x582) AHD-M
TRIBRID DIGITAL RECORDER

VP-1660AHDM
5.800.000

1080p 1920 x 1080 | 720p 1280 x 720 | Full D1 704 x 576 | P2P Peer-to-Peer | Max.1 HDD

- Tribrid Digital Recorder 3 in 1: AHD: **16CH 720P** (AHD-M);
DVR: **16CH 960H**; NVR: **1CH 1080P + 8CH 720P** (connection mode option)
- Image compression H.264
- VGA/HDMI video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support 1 SATA port, HDD capacity up to 3TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and used

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:
vMeyeCloud Lite
vMeyeCloud
N/A

4 CHANNEL 960H (960x582) AHD-L
TRIBRID DIGITAL RECORDER

VP-460AHDL
2.200.000

1080p 1920 x 1080 | 720p 1280 x 720 | Full 960H 960 x 576 | P2P Peer-to-Peer | Max.1 HDD

- Tribrid Digital Recorder 3 in 1: AHD: **4CH** AHD-L; DVR: **4CH D1**;
NVR: **4CH 1080P** (connection mode option)
- Image compression H.264
- VGA/BNC/HDMI video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support 1 SATA port, HDD capacity up to 3TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and used

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:
vMeyeCloud Lite
vMeyeCloud
N/A

4 CHANNEL 720P (1280x720) AHD-M
TRIBRID DIGITAL RECORDER

VP-460AHDM
2.400.000

1080p 1920 x 1080 | 720p 1280 x 720 | Full 960H 960 x 576 | P2P Peer-to-Peer | Max.1 HDD

- Tribrid Digital Recorder 3 in 1: AHD: **4CH 720P** (AHD-M);
- DVR: **4CH 960H**; NVR: **2CH 1080P** + **2CH 720P** (connection mode option)
Image compression H.264
- VGA/ HDMI video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support 1 SATA port, HDD capacity up to 3TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:
vMeyeCloud Lite
vMeyeCloud
N/A

VANTECH **AHD** DVR

Analog High Definition

UNIQUE ALTERNATIVE

Transmit solution

NEW VIDEO FORMAT **AHD**

4 CHANNEL 720P (1280x720) AHD
HYBRID DIGITAL RECORDER

VPS-463AHD

3.900.000

720p 1280 x 720 | Full 960H 960 x 576 | P2P Peer-to-Peer | Max.1 HDD

- **Hybrid** Digital Recorder 2 in 1: **4CH 720P**(AHD-M) for AHD camera / **4CH 960H** for Analog camera
- Image compression H.264
- VGA/ HDMI/ BNC video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support Push Video
- Support 1 SATA port, HDD capacity up to 2TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

iWatch
iWatch
iWatch

4 CHANNEL 720P (1280x720) AHD
DIGITAL VIDEO RECORDER

VP-461AHD

2.200.000

720p 1280 x 720 | P2P Peer-to-Peer | Max.1 HDD

- **AHD** Digital Recorder: **4CH 720P** (AHD-M)
- Image compression H.264
- VGA/ HDMI video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support 1 SATA port, HDD capacity up to 2TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

Qmeye
Qmeye
N/A

4 CHANNEL 720P (1280x720) AHD
HYBRID DIGITAL RECORDER

VP-463AHD

3.980.000

720p 1280 x 720 | Full 960H 960 x 576 | P2P Peer-to-Peer | Max.1 HDD

- **Hybrid** Digital Recorder 2 in 1: **4CH 720P**(AHD-M) for AHD camera / **4CH 960H** for Analog camera
- Image compression H.264
- VGA/ HDMI/ BNC video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support Push Video
- Support 1 SATA port, HDD capacity up to 2TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

iWatch
iWatch
iWatch

VANTECH **AHD** DVR

Analog High Definition

UNIQUE ALTERNATIVE

Transmit solution

NEW VIDEO FORMAT **AHD**

8 CHANNEL 720P (1280x720) AHD
DIGITAL VIDEO RECORDER

VP-861AHD

3.900.000

720p 1280 x 720 | P2P Peer-to-Peer | Max.2 HDD

- **AHD** Digital Recorder: **8CH 720P** (AHD-M)
- Image compression H.264
- VGA/ HDMI video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support 2 SATA ports, HDD capacity up to 4TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

Qmeye

Qmeye

N/A

8 CHANNEL 960H (960x582) AHD-L
TRIBRID DIGITAL RECORDER

VP-860AHDL

2.900.000

1080p 1920 x 1080 | Full 960H 960 x 576 | Full D1 704 x 576 | P2P Peer-to-Peer | Max.1 HDD

- Tribrid Digital Recorder 3 in 1: AHD: **8CH** AHD-L; DVR: **8CH D1**; NVR: **8CH 1080P** (connection mode option)
- Image compression H.264
- VGA/BNC/HDMI video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support 1 SATA port, HDD capacity up to 3TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and used

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

vMeyeCloud Lite

vMeyeCloud

N/A

8 CHANNEL 720P (1280x720) AHD-M
TRIBRID DIGITAL RECORDER

VP-860AHDM

3.950.000

1080p 1920 x 1080 | 720p 1280 x 720 | Full 960H 960 x 576 | P2P Peer-to-Peer | Max.1 HDD

- Tribrid Digital Recorder 3 in 1: AHD: **8CH 720P** (AHD-M);
- DVR: **8CH 960H**; NVR: **4CH 1080P** or **8CH 720P** (connection mode option)
  Image compression H.264
- VGA/ HDMI video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support 1 SATA port, HDD capacity up to 3TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

vMeyeCloud Lite

vMeyeCloud

N/A

VANTECH **AHD** DVR

Analog High Definition

UNIQUE ALTERNATIVE

Transmit solution

NEW VIDEO FORMAT **AHD**

8 CHANNEL 720P (1280x720) AHD
HYBRID DIGITAL RECORDER

VP-8161AHD

3.500.000

720p 1280 x 720 | Full 960H 960 x 576 | P2P Peer-to-Peer | Max.1 HDD

- **Hybrid** Digital Recorder 2 in 1: **8CH 720P**(AHD-M) for AHD camera / **8CH 960H** for Analog camera
- Image compression H.264
- VGA/ HDMI/ BNC video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support Push Video
- Support 1 SATA port, HDD capacity up to 2TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

Qmeye

Qmeye

N/A

8 CHANNEL 720P (1280x720) AHD
HYBRID DIGITAL RECORDER

VP-863AHD

5.800.000

720p 1280 x 720 | Full 960H 960 x 576 | P2P Peer-to-Peer | Max.1 HDD

- **Hybrid** Digital Recorder 2 in 1: **8CH 720P**(AHD-M) for AHD camera / **8CH 960H** for Analog camera
- Image compression H.264
- VGA/ HDMI/ BNC video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support Push Video
- Support 1 SATA port, HDD capacity up to 2TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

iWatch

iWatch

iWatch

8 CHANNEL 720P (1280x720) AHD
HYBRID DIGITAL RECORDER

VPH-863AHD

7.800.000

720p 1280 x 720 | Full 960H 960 x 576 | P2P Peer-to-Peer | Max.2 HDD

- **Hybrid** Digital Recorder 2 in 1: **8CH 720P**(AHD-M) for AHD camera / **8CH 960H** for Analog camera
- Image compression H.264
- VGA/ HDMI/ BNC video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support Push Video
- Support 2 SATA ports, HDD capacity up to 4TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

iWatch

iWatch

iWatch

VANTECH **AHD** DVR

Analog High Definition

UNIQUE ALTERNATIVE

Transmit solution

NEW VIDEO FORMAT **AHD**

16 CHANNEL 720P (1280x720) AHD
DIGITAL VIDEO RECORDER

VP-1661AHD

6.500.000

720p 1280 x 720 | Peer-to-Peer | Max.2 HDD

- **AHD** Digital Recorder: **16CH 720P** (AHD-M)
- Image compression H.264
- VGA/ HDMI video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support 2 SATA ports, HDD capacity up to 4TB
- Support Web, Smart Phone, Laptop & PC
- ntelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

Qmeye

Qmeye

N/A

16 CHANNEL 720P (1280x720) AHD
HYBRID DIGITAL RECORDER

VPS-1663AHD

9.800.000

720p 1280 x 720 | Full 960H 960 x 576 | Peer-to-Peer | Max.1 HDD

- **Hybrid** Digital Recorder 2 in 1: **16CH 720P**(AHD-M) for AHD camera / **16CH 960H** for Analog camera
- Image compression H.264
- VGA/ HDMI/ BNC video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support Push Video
- Support 1 SATA ports, HDD capacity up to 3TB, 1 eSATA up to 16TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

iWatch

iWatch

iWatch

16 CHANNEL 720P (1280x720) AHD
HYBRID DIGITAL RECORDER

VP-1663AHD

15.000.000

720p 1280 x 720 | Full 960H 960 x 576 | Peer-to-Peer | Max.3 HDD

- **Hybrid** Digital Recorder 2 in 1: **16CH 720P**(AHD-M) for AHD camera / **16CH 960H** for Analog camera
- Image compression H.264
- VGA/ HDMI/ BNC video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support Push Video
- Support 3 SATA ports, HDD capacity up to 6TB, 1 eSATA up to 16TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection

You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

iWatch

iWatch

iWatch

VANTECH **AHD** DVR
Analog High Definitio

UNIQUE ALTERNATIVE
Transmit solution
NEW VIDEO FORMAT **AHD**

8 CHANNEL 720P (1280x720) AHD-M
TRIBRID DIGITAL RECORDER

VP-8160AHDM
3.900.000

- Tribrid Digital Recorder 3 in 1: AHD: **8CH 720P** (AHD-M); DVR: **8CH 960H**; NVR: **2CH 1080P + 2CH 720P** or **8CH 720P** (connection mode option)
  Image compression H.264
- VGA/ HDMI video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support 2 SATA ports, HDD capacity up to 6TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection
You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:
vMeyeCloud Lite
vMeyeCloud
N/A

8 CHANNEL 720P (1280x720) AHD-M
TRIBRID DIGITAL RECORDER

VP-8260AHDM
5.500.000

- Tribrid Digital Recorder 3 in 1: AHD: **8CH 720P** (AHD-M); DVR: **8CH 960H**; NVR: **4CH 1080P** or **1CH 1080P + 8CH 720P** (connection mode option)
  Image compression H.264
- VGA/ HDMI video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support 2 SATA ports, HDD capacity up to 6TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection
You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:
vMeyeCloud Lite
vMeyeCloud
N/A

16 CHANNEL 720P (1280x720) AHD-M
TRIBRID DIGITAL RECORDER

VP-16260AHDM
6.800.000



- Tribrid Digital Recorder 3 in 1: AHD: **16CH 720P** (AHD-M); DVR: **16CH 960H**; NVR: **4CH 1080P** or **1CH 1080P + 8CH 720P** (connection mode option)
  Image compression H.264
- VGA/ HDMI video output with Full HD resolution
- Multi streaming help reducing the network bandwidth
- Support cloud technology for remote viewing and control via P2P
- Support 2 SATA ports, HDD capacity up to 6TB
- Support Web, Smart Phone, Laptop & PC
- Intelligent search and playback
- User friendly interface, easy setup and use

Cloud Server with P2P Connection
You may register a free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:
vMeyeCloud Lite
vMeyeCloud
N/A

VANTECH HD-CVI CAMERA

High Definition Composite Video Interface



HDCVI

the HD over coax solution

HD-CVI

IR SPEED DOME CAMERA

VP-305CVI

26.000.000

Rated at **IP66**, also with a high degree of resistance to dust and water

ip66 waterproof | 2.0M | PTZ | 20X Zoom Lens

- 20x optical zoom, 16x digital zoom
- 320x total zoom
- Max. 25/30fps@1080P(19201080) & 20/30/50/60fps@720P resolution
- DWDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus
- Max 400°/s pan speed, 360° endless pan rotation
- Control over coaxial cable.
- High speed, long distance real-time transmission
- HD and SD switchable
- Up to 300 presets, 5 auto scan, 8 tour, 5 pattern
- Built-in 2/1 alarm in/out
- Support intelligent 3D positioning with DH-SD protocol
- IR Distance up to 100m
- OSD, IP66, bracket included

HD-CVI

IR MINI SPEED DOME CAMERA

VP-301CVI

9.500.000

Rated at **IP66**, also with a high degree of resistance to dust and water

ip66 waterproof | 1.0M | PTZ | 10X Zoom Lens

- **1.0 Megapixel**
- Resolution max 25/30fps@720P(1280x720)
- Powerful optical zoom 10X
- High speed, long distance real-time transmission
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- Up to 80 presets, auto scan, 5 tours
- 2 pcs High Power LED (near) + 4 pcs High Power LED (far). Max IR distance: 60m
- OSD / IP66 / Bracket included

HD-CVI

IR MINI SPEED DOME CAMERA

VP-302CVI

12.000.000

Rated at **IP66**, also with a high degree of resistance to dust and water

ip66 waterproof | 2.0M | PTZ | 10X Zoom Lens

- **2.0 Megapixel**
- Resolution max 25/30fps@720P(1280x720)
- Powerful optical zoom 10X
- High speed, long distance real-time transmission
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- Up to 80 presets, auto scan, 5 tours
- 2 pcs High Power LED (near) + 4 pcs High Power LED (far). Max IR distance: 60m
- OSD / IP66 / Bracket included

VANTECH HD-CVI CAMERA

High Definition Composite Video Interface

HDCVI

the HD over coax solution

HDCVI the HD over coax solution

TECHNICAL HIGHLIGHTS OF HDCVI

- **HD Video format:**
  1920H(1920×1080) & 1280H(1280×720)
- **Analog Modulation:**
  Uncompressed and crosstalk-free
- **Transmission over coaxial cable:**
  Reliable and non-latency point-to-point transmission
- **Auto Compensation & Long range transmission:**
  1280H(1280×720): 500m via 75ohm-3mkm,
  650m via 75ohm-5mm
  1920H(1920×1080): 300m via 75ohm-3mm,
  400m via 75ohm-5mm
- **Composite video/audio/PTZ signals:**
  HDCVI composites video, audio and PTZ signals together.
- **Two-way data transmission**

WHY HDCVI TECHNOLOGY

- Easy upgrade to HD1080p & 720p
- Progressive Video
- Long Distance Transmission
  SDI = 100 meters
  HD-CVI = 500 meters
- 3 Signals Over 1 Coaxial Cable
  HDVideo + Audio + Control data
- Compatible with standard video baluns



The Importance of Cable Type

Transmitting data 500m over a coaxial cable can be realized, depending on the cable selected. Cable 75ohm-3mm (diameter) and 75ohm-5mm are recommended for transmissions within 300m, cable 75ohm-5mm and above for over 500m. Connectors and welding process also affect the transmission distance. **RG59 coaxal Cable = 75ohm-633**

HD-CVI

HIGH SPEED DOME CAMERA

VP-303CVI

15.500.000

Rated at **IP66**, also with a high degree of resistance to dust and water

ip66 waterproof

- **1.0 Megapixel**
- Resolution max 25/30fps@720P(1280x720)
- Powerful optical zoom 36X
- High speed, long distance real-time transmission
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- Up to 256 presets, 5 auto scans, 8 tours, 5 patterns
- 8 pcs High Power LED Ø20. Max IR distance: 80m
- OSD / IP66 / Bracket included

HD-CVI

HIGH SPEED DOME CAMERA

VP-304CVI

18.500.000

Rated at **IP66**, also with a high degree of resistance to dust and water

ip66 waterproof

- **2.0 Megapixel**
- Resolution max 25/30fps@720P(1280x720)
- Powerful optical zoom 36X
- High speed, long distance real-time transmission
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- Up to 256 presets, 5 auto scans, 8 tours, 5 patterns
- 8 pcs High Power LED Ø20. Max IR distance: 80m
- OSD / IP66 / Bracket included

VANTECH **HD-CVI** CA

High Definition Composite Video



HDCVI

the HD over coax solution

HD-CVI
IR DOME CAMERA

VP-101CVI

1.500.000

1.0M | IR LEDs Ø5

- **1.0 Megapixel**
- Transmission with very high speed and long distance up to **500-700m**
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- 3.6mm board lens (6mm, 8mm, 12mm optional)
- **36 pcs LED Ø5.** IR distance: 15m-20m

HD-CVI
IR DOME CAMERA

VP-103CVI

1.600.000

1.0M | LEDs Array

- **1.0 Megapixel**
- Transmission with very high speed and long distance up to **500-700m**
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- 3.6mm board lens (6mm, 8mm, 12mm optional)
- **3 pcs ARRAY LED .** IR distance: 20m-30m

HD-CVI
IR BULLET CAMERA

VP-201CVI

2.200.000

1.0M | LEDs Array

- **1.0 Megapixel**
- Transmission with very high speed and long distance up to **500-700m**
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- 3.6mm board lens (6mm, 8mm, 12mm optional)
- **3 pcs ARRAY LED .** IR distance: 20m-30m
- IP66 / Bracket included

HD-CVI
IR DOME CAMERA

VP-111CVI

1.800.000

2.0M | IR LEDs Ø5

- **2.0 Megapixel**
- Transmission with very high speed and long distance up to **500-700m**
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- 3.6mm board lens (6mm, 8mm, 12mm optional)
- **36 pcs LED Ø5.** IR distance: 15m-20m

HD-CVI
IR DOME CAMERA

VP-113CVI

1.900.000

2.0M | LEDs Array

- **2.0 Megapixel**
- Transmission with very high speed and long distance up to **500-700m**
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- 3.6mm board lens (6mm, 8mm, 12mm optional)
- **3 pcs ARRAY LED .** IR distance: 20m-30m

HD-CVI
IR BULLET CAMERA

VP-202CVI

2.800.000

2.0M | LEDs Array

- **2.0 Megapixel**
- Transmission with very high speed and long distance up to **500-700m**
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- 3.6mm board lens (6mm, 8mm, 12mm optional)
- **3 pcs ARRAY LED .** IR distance: 20m-30m
- IP66 / Bracket included

VANTECH HD-CVI CAMERA

High Definition Composite Video

HDCVI

the HD over coax solution

HD-CVI
IR BULLET CAMERA

VP-203CVI
1.780.000

1.0M LEDs Array

- **1.0 Megapixel**
- Transmission with very high speed and long distance up to **500-700m**
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- 3.6mm board lens (6mm, 8mm, 12mm optional)
- **3 pcs ARRAY LED .** IR distance: 20m-30m
- IP66 / Bracket included

HD-CVI
IR BULLET CAMERA

VP-204CVI
1.950.000

1.0M LEDs Array

- **1.0 Megapixel**
- Transmission with very high speed and long distance up to **500-700m**
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- 3.6mm board lens (6mm, 8mm, 12mm optional)
- **4 pcs ARRAY LED .** IR distance: 30m-40m
- IP66 / Bracket included

HD-CVI
IR BULLET CAMERA

VP-205CVI
2.200.000

1.0M LEDs Array

- **1.0 Megapixel**
- Transmission with very high speed and long distance up to **500-700m**
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- 3.6mm board lens (6mm, 8mm, 12mm optional)
- **6 pcs ARRAY LED .** IR distance: 50m-60m
- IP66 / Bracket included

HD-CVI
IR BULLET CAMERA

VP-213CVI
2.080.000

2.0M LEDs Array

- **2.0 Megapixel**
- Transmission with very high speed and long distance up to **500-700m**
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- 3.6mm board lens (6mm, 8mm, 12mm optional)
- **3 pcs ARRAY LED .** IR distance: 20m-30m
- IP66 / Bracket included

HD-CVI
IR BULLET CAMERA

VP-214CVI
2.300.000

2.0M LEDs Array

- **2.0 Megapixel**
- Transmission with very high speed and long distance up to **500-700m**
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- 3.6mm board lens (6mm, 8mm, 12mm optional)
- **4 pcs ARRAY LED .** IR distance: 30m-40m
- IP66 / Bracket included

HD-CVI
IR BULLET CAMERA

VP-215CVI
2.500.000

2.0M LEDs Array

- **2.0 Megapixel**
- Transmission with very high speed and long distance up to **500-700m**
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- 3.6mm board lens (6mm, 8mm, 12mm optional)
- **6 pcs ARRAY LED .** IR distance: 50m-60m
- IP66 / Bracket included

VANTECH HD-CVI CAMERA

High Definition Composite Video



HDCVI

the HD over coax solution

HD-CVI
IR BULLET CAMERA

VP-206CVI

2.300.000

1.0M Laser LED

- **1.0 Megapixel**
- Transmission with very high speed and long distance up to **500-700m**
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- Vari focal lens 2.8 ~ 12mm
- **9 pcs LASER LED.** IR distance: 30m-40m
- IP66 / Bracket included

HD-CVI
IR BULLET CAMERA

VP-207CVI

2.500.000

1.0M LEDs Array

- **1.0 Megapixel**
- Transmission with very high speed and long distance up to **500-700m**
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- Vari focal lens 2.8 ~ 12mm
- **6 pcs ARRAY LED .** IR distance: 50-60m
- IP66 / Bracket included

4 CHANNEL 720P (1280x720) HD-CVI
DIGITAL VIDEO RECORDER

VP-451CVI

4.800.000

720p 1280 x 720 | P2P Peer-to-Peer | Max.1 HDD

- Support HDCVI / Analog / IP video input
- Up to 4/8/16 cameras with 1080p real-time preview
- H.264 dual-stream video compression
- All channel **720P realtime or 1080P non-realtime recording**
- HDMI / VGA simultaneous video output
- All channel synchronous real-time playback, GRID interface & smart search
- Support **1 SATA HDD** up to 3TB, 2 USB 2.0
- Multiple network monitoring: Web viewer, CMS(PSS/Smart PSS) & Smart phone (DMSS)

HD-CVI
IR BULLET CAMERA

VP-216CVI

2.700.000

2.0M Laser LED

- **2.0 Megapixel**
- Transmission with very high speed and long distance up to **500-700m**
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- Vari focal lens 2.8 ~ 12mm
- **9 pcs LASER LED.** IR distance: 30m-40m
- IP66 / Bracket included

HD-CVI
IR BULLET CAMERA

VP-217CVI

2.900.000

2.0M LEDs Array

- **2.0 Megapixel**
- Transmission with very high speed and long distance up to **500-700m**
- Full HD and standard definition switch
- Day/Night(ICR), AWB, AGC, BLC, 3D-DNR
- Vari focal lens 2.8 ~ 12mm
- **6 pcs ARRAY LED .** IR distance: 50m-60m
- IP66 / Bracket included

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

- iDMSS Lite
- gDMSS Lite
- wDMSS Lite

VANTECH HD-CVI DVR

High Definition Composite Video Interface



HDCVI

the HD over coax solution

4 CHANNEL 720P (1280x720) HD-CVI DIGITAL VIDEO RECORDER

VP-450CVI

3.980.000

720p 1280 x 720 | P2P Peer-to-Peer | Max.1 HDD

- Support HDCVI/IP video input
- Up to 4cameras with 1080p real-time preview
- H.264 dual-stream video compression
- All channel **720P realtime or 1080P non-realtime recording**
- HDMI / VGA simultaneous video output
- All channel synchronous real-time playback, GRID interface & smart search
- Support **1 SATA HDD** up to 3TB, 2 USB 2.0
- Multiple network monitoring: Web viewer, CMS(PSS/Smart PSS) & Smart phone (DMSS)

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

- iDMSS Lite
- gDMSS Lite
- wDMSS Lite

4 CHANNEL 1080P (1920x1080) HD-CVI DIGITAL VIDEO RECORDER

VP-453CVI

9.500.000

1080p 1920 x 1080 | P2P Peer-to-Peer | Max.2 HDD

- Up to 4 cameras with 1080p real-time preview
- H.264 dual-stream video compression
- Full channel **1080P real-time recording**
- HDMI / VGA / BNC simultaneous video output
- All channel synchronous realtime playback, GRID interface & smart search
- Support **2 SATA HDDs** up to 6TB, 2 USB2.0
- Multiple network monitoring: Web viewer, PSS & DMSS
- Support P2P

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

- iDMSS Lite
- gDMSS Lite
- wDMSS Lite

4 CHANNEL 720P (1280x720) HD-CVI DIGITAL VIDEO RECORDER

VP-454CVI

3.800.000

720p 1280 x 720 | P2P Peer-to-Peer | Max.2 HDD

- Up to 4 cameras with 1080p real-time preview
- H.264 dual-stream video compression
- Full channel **720P real-time recording**
- HDMI / VGA simultaneous video output
- All channel synchronous realtime playback, GRID interface & smart search
- Support **2 SATA HDDs** up to 6TB, 2 USB2.0
- Multiple network monitoring: Web viewer, Qmeye
- Support P2P

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

- Qmeye
- Qmeye
- N/A

VANTECH HD-CVI DVR

High Definition Composite Video Interface

HDCVI

the HD over coax solution

4 CHANNEL 720P (1280x720) HD-CVI DIGITAL VIDEO RECORDER

VP-455CVI

2.980.000

720p 1280 x 720 | P2P Peer-to-Peer | Max.1 HDD

- Support HDCVI/Analog/IP video input
- Up to 4 cameras with 1080P real-time preview
- H.264 dual-stream video compression
- Full channel **720P recording**
- HDMI/VGA simultaneous video output
- All channel synchronous playback, GRID interface & smart search
- ONVIF Version 2.4 conformance
- Support **1 SATA HDD** up to 4TB, 2 USB2.0
- Multiple network monitoring: Web viewer, CMS (DSS/Smart PSS) & Smart Phone(DMSS)
- Support Cloud.

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

- iDMSS Lite
- gDMSS Lite
- wDMSS Lite

8 CHANNEL 720P (1280x720) HD-CVI DIGITAL VIDEO RECORDER

VP-855CVI

3.980.000

720p 1280 x 720 | P2P Peer-to-Peer | Max.1 HDD

- Support HDCVI/Analog/IP video input
- Up to 8 cameras with 1080P real-time preview
- H.264 dual-stream video compression
- Full channel **720P recording**
- HDMI/VGA simultaneous video output
- All channel synchronous playback, GRID interface & smart search
- ONVIF Version 2.4 conformance
- Support **1 SATA HDD** up to 4TB, 2 USB2.0
- Multiple network monitoring: Web viewer, CMS (DSS/Smart PSS) & Smart Phone(DMSS)
- Support Cloud.

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

- iDMSS Lite
- gDMSS Lite
- wDMSS Lite

16 CHANNEL 720P (1280x720) HD-CVI DIGITAL VIDEO RECORDER

VP-1655CVI

6.500.000

720p 1280 x 720 | P2P Peer-to-Peer | Max.1 HDD

- Support HDCVI/Analog/IP video input
- Up to 16 cameras with 1080P real-time preview
- H.264 dual-stream video compression
- Full channel **720P recording**
- HDMI/VGA simultaneous video output
- All channel synchronous playback, GRID interface & smart search
- ONVIF Version 2.4 conformance
- Support **1 SATA HDD** up to 4TB, 2 USB2.0
- Multiple network monitoring: Web viewer, CMS (DSS/Smart PSS) & Smart Phone(DMSS)
- Support Cloud.

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

- iDMSS Lite
- gDMSS Lite
- wDMSS Lite

VANTECH HD-CVI DVR

High Definition Composite Video Interface



HDCVI

the HD over coax solution

16 CHANNEL 720P (1280x720) HD-CVI DIGITAL VIDEO RECORDER

VP-1656CVI

6.800.000

720p 1280 x 720 | P2P Peer-to-Peer | Max.1 HDD

- Support HDCVI/IP video input
- Up to 16 cameras with 1080p real-time preview
- H.264 dual-stream video compression
- All channel **720P realtime or 1080P non-realtime recording**
- HDMI / VGA simultaneous video output
- All channel synchronous real-time playback, GRID interface & smart search
- Support **2 SATA HDD** up to 6TB, 2 USB 2.0
- Multiple network monitoring: Web viewer, CMS(PSS/Smart PSS) & Smart phone (DMSS)

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

4 CHANNEL 720P (1280x720) HD-CVI DIGITAL VIDEO RECORDER

VP-456CVI

2.600.000

720p 1280 x 720 | P2P Peer-to-Peer | Max.1 HDD

- Support HDCVI/IP video input
- Up to 4 cameras with 1080p real-time preview
- H.264 dual-stream video compression
- All channel **720P realtime or 1080P non-realtime recording**
- HDMI / VGA simultaneous video output
- All channel synchronous real-time playback, GRID interface & smart search
- Support **1 SATA HDD** up to 3TB, 2 USB 2.0
- Multiple network monitoring: Web viewer, CMS(PSS/Smart PSS) & Smart phone (DMSS)

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

8 CHANNEL 720P (1280x720) HD-CVI DIGITAL VIDEO RECORDER

VP-856CVI

3.800.000

720p 1280 x 720 | P2P Peer-to-Peer | Max.1 HDD

- Support HDCVI/IP video input
- Up to 8 cameras with 1080p real-time preview
- H.264 dual-stream video compression
- All channel **720P realtime or 1080P non-realtime recording**
- HDMI / VGA simultaneous video output
- All channel synchronous real-time playback, GRID interface & smart search
- Support **1 SATA HDD** up to 3TB, 2 USB 2.0
- Multiple network monitoring: Web viewer, CMS(PSS/Smart PSS) & Smart phone (DMSS)

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

VANTECH HD-CVI DVR

High Definition Composite Video Interface



HDCVI

the HD over coax solution

4 CHANNEL 1080P (1920x1080) HD-CVI HYBRID DIGITAL RECORDER

VP-457CVI

3.900.000

- Up to 4 cameras with 1080p real-time preview
- H.264 dual-stream video compression
- All channel **720P realtime or 1080P non-realtime recording**
- HDMI / VGA simultaneous video output
- All channel synchronous real-time playback, GRID interface & smart search
- Support **2 SATA HDDs** up to 6TB, 2 USB 2.0
- Multiple network monitoring: Web viewer, CMS& Smart phone

1080p 1920 x 1080 | P2P Peer-to-Peer | Max.2 HDD

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

16 CHANNEL 1080P (1920x1080) HD-CVI DIGITAL VIDEO RECORDER

VP-1657CVI

12.000.000

- Up to16 cameras with 1080p real-time preview
- H.264 dual-stream video compression
- All channel **720P realtime or 1080P non-realtime recording**
- HDMI / VGA simultaneous video output
- All channel synchronous real-time playback, GRID interface & smart search
- Support **2 SATA HDDs** up to 6TB, 2 USB 2.0
- Multiple network monitoring: Web viewer, CMS& Smart phone

1080p 1920 x 1080 | P2P Peer-to-Peer | Max.2 HDD

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

8 CHANNEL 1080P (1920x1080) HD-CVI HYBRID DIGITAL RECORDER

VP-857CVI

5.800.000

- Up to 8 cameras with 1080p real-time preview
- H.264 dual-stream video compression
- All channel **720P realtime or 1080P non-realtime recording**
- HDMI / VGA simultaneous video output
- All channel synchronous real-time playback, GRID interface & smart search
- Support **2 SATA HDDs** up to 6TB, 2 USB 2.0
- Multiple network monitoring: Web viewer, CMS& Smart phone

1080p 1920 x 1080 | P2P Peer-to-Peer | Max.2 HDD

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

- ViewEasy V2
- ViewEasy V2
- N/A

VANTECH HD-CVI DVR

High Definition Composite Video Interface



HDCVI

the HD over coax solution

4 CHANNEL 1080P (1920x1080) HD-CVI HYBRID DIGITAL RECORDER

VP-864CVI

3.900.000

- Hybrid Digital Recorder 2 in 1: **4 CH CVI, 4 CH IP Full 1080P**
- Image compression H.264
- All channel recording at Full HD 1080P
- VGA/ HDMI video output with Full HD resolution
- Multi stream support help reducing the network bandwidth
- Support **2 SATA HDDs** up to 6TB, 2 USB2.0
- Support Web, Smart Phone, Laptop, Tablet
- Intelligent search and playback
- User friendly interface, easy setup and use

1080p 1920 x 1080 | P2P Peer-to-Peer | Max.2 HDD

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

- ViewEasy V2
- ViewEasy V2
- N/A

8 CHANNEL 720P (1280x720) HD-CVI DIGITAL VIDEO RECORDER

VP-850CVI

5.980.000

720p 1280 x 720 | P2P Peer-to-Peer | Max.1 HDD

- Support HDCVI/ IP video input
- Up to 8cameras with 1080p real-time preview
- H.264 dual-stream video compression
- All channel **720P realtime or 1080P non-realtime recording**
- HDMI / VGA simultaneous video output
- All channel synchronous real-time playback, GRID interface & smart search
- Support **1 SATA HDD** up to 3TB, 2 USB 2.0
- Multiple network monitoring: Web viewer, CMS(PSS/Smart PSS) & Smart phone (DMSS)

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

- iDMSS Lite
- gDMSS Lite
- wDMSS Lite

8 CHANNEL 1080P (1920x1080) HD-CVI HYBRID DIGITAL RECORDER

VP-868CVI

5.990.000

- Hybrid Digital Recorder 2 in 1: **8 CH CVI, 4 CH IP Full 1080P**
- Image compression H.264
- All channel recording at Full HD 1080P
- VGA/ HDMI video output with Full HD resolution
- Multi stream support help reducing the network bandwidth
- Support **2 SATA HDDs** up to 6TB, 2 USB2.0
- Support Web, Smart Phone, Laptop, Tablet
- Intelligent search and playback
- User friendly interface, easy setup and use

1080p 1920 x 1080 | P2P Peer-to-Peer | Max.2 HDD

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

- ViewEasy V2
- ViewEasy V2
- N/A

VANTECH HD-CVI DVR

High Definition Composite Video Interface



HDCVI

the HD over coax solution

8 CHANNEL 720P (1280x720) HD-CVI DIGITAL VIDEO RECORDER

VP-854CVI

8.800.000

720p 1280 x 720 | P2P Peer-to-Peer | Max.2 HDD

- Up to 8 cameras with 1080p real-time preview
- H.264 dual-stream video compression
- Full channel **720P real-time recording**
- HDMI / VGA / BNC simultaneous video output
- All channel synchronous realtime playback, GRID interface & smart search
- Support **2 SATA HDDs** up to 4TB, 2 USB2.0
- Multiple network monitoring: Web viewer, DVR Client & Qmeye
- Support P2P

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

- Qmeye
- Qmeye
- N/A

8 CHANNEL 720P (1280x720) HD-CVI DIGITAL VIDEO RECORDER

VP-851CVI

13.000.000

720p 1280 x 720 | P2P Peer-to-Peer | Max.1 HDD

- Support HDCVI / Analog / IP video input
- Up to 4/8/16 cameras with 1080p real-time preview
- H.264 dual-stream video compression
- All channel **720P realtime or 1080P non-realtime recording**
- HDMI / VGA simultaneous video output
- All channel synchronous real-time playback, GRID interface & smart search
- Support **1 SATA HDD** up to 3TB, 2 USB 2.0
- Multiple network monitoring: Web viewer, CMS(PSS/Smart PSS) & Smart phone (DMSS)

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

- iDMSS Lite
- gDMSS Lite
- wDMSS Lite

8 CHANNEL 1080P (1920x1080) HD-CVI DIGITAL VIDEO RECORDER

VP-853CVI

17.000.000

1080p 1920 x 1080 | P2P Peer-to-Peer | Max.2 HDD

- Up to 8 cameras with 1080p real-time preview
- H.264 dual-stream video compression
- Full channel **1080P real-time recording**
- HDMI / VGA / BNC simultaneous video output
- All channel synchronous realtime playback, GRID interface & smart search
- Support **2 SATA HDDs** up to 6TB, 2 USB2.0
- Multiple network monitoring: Web viewer, PSS & DMSS
- Support P2P

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

- iDMSS Lite
- gDMSS Lite
- wDMSS Lite

VANTECH HD-CVI DVR

High Definition Composite Video Interface



HDCVI

the HD over coax solution

16 CHANNEL 720P (1280x720) HD-CVI DIGITAL VIDEO RECORDER

VP-1654CVI

12.000.000

720p 1280 x 720 | P2P Peer-to-Peer | Max.2 HDD

- Up to 16 cameras with 1080p real-time preview
- H.264 dual-stream video compression
- Full channel **720P real-time recording**
- HDMI / VGA simultaneous video output
- All channel synchronous realtime playback, GRID interface & smart search
- Support **2 SATA HDDs** up to 4TB, 2 USB2.0
- Multiple network monitoring: Web viewer, Client V3 & Qmeye
- Support P2P

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

- Qmeye
- Qmeye
- N/A

16 CHANNEL 720P (1280x720) HD-CVI DIGITAL VIDEO RECORDER

VP-1651CVI

15.600.000

720p 1280 x 720 | P2P Peer-to-Peer | Max.2 HDD

- Support HDCVI / Analog / IP video input
- Up to 4/8/16 cameras with 1080p real-time preview
- H.264 dual-stream video compression
- All channel **720P realtime or 1080P non-realtime recording**
- HDMI / VGA simultaneous video output
- All channel synchronous real-time playback, GRID interface & smart search
- Support **2 SATA HDDs** up to 6TB, 2 USB 2.0
- Multiple network monitoring: Web viewer, CMS(PSS/Smart PSS) & Smart phone (DMSS)

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

- iDMSS Lite
- gDMSS Lite
- wDMSS Lite

16 CHANNEL 720P (1280x720) HD-CVI DIGITAL VIDEO RECORDER

VP-1652CVI

19.980.000

720p 1280 x 720 | P2P Peer-to-Peer | Max.4 HDD

- Up to 16 cameras with 1080p real-time preview
- H.264 dual-stream video compression
- Full channel **720P real-time recording**
- HDMI / VGA simultaneous video output
- All channel synchronous realtime playback, GRID interface & smart search
- Support **4 SATA HDDs** up to 12TB, 2 USB2.0
- Multiple network monitoring: Web viewer, PSS & DMSS
- Support P2P

Cloud Server with P2P Connection

You may register a new free account in our server.
Or a simplest solution to connect your DVR, just scan the QR Code on DVR Screen, you can direct connect to the DVR without any setting.
Thanks to P2P advance feature that built in DVR.

App software:

- iDMSS Lite
- gDMSS Lite
- wDMSS Lite